Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSPTAJMN1626

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * *   Welcome to STN International   * * * * * * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JUL 02	LMEDLINE coverage updated
NEWS	3	JUL 02	SCISEARCH enhanced with complete author names
NEWS	4	JUL 02	CHEMCATS accession numbers revised
NEWS	5	JUL 02	CA/CAplus enhanced with utility model patents from China
NEWS	6	JUL 16	CAplus enhanced with French and German abstracts
NEWS	7	JUL 18	CA/CAplus patent coverage enhanced
NEWS	8	JUL 26	USPATFULL/USPAT2 enhanced with IPC reclassification
NEWS	9	JUL 30	USGENE now available on STN
NEWS	10	AUG 06	CAS REGISTRY enhanced with new experimental property tags
NEWS	11	AUG 06	FSTA enhanced with new thesaurus edition
NEWS	12	AUG 13	CA/CAplus enhanced with additional kind codes for granted patents
NEWS	13	AUG 20	CA/CAplus enhanced with CAS indexing in pre-1907 records
NEWS	14	AUG 27	Full-text patent databases enhanced with predefined patent family display formats from INPADOCDB
NEWS	15	AUG 27	USPATOLD now available on STN
NEWS	16	AUG 28	CAS REGISTRY enhanced with additional experimental spectral property data
NEWS	17	SEP 07	STN AnaVist, Version 2.0, now available with Derwent World Patents Index
NEWS	18	SEP 13	FORIS renamed to SOFIS
NEWS	19	SEP 13	INPADOCDB enhanced with monthly SDI frequency
NEWS	20	SEP 17	CA/CAplus enhanced with printed CA page images from 1967-1998
NEWS	21	SEP 17	CAplus coverage extended to include traditional medicine patents
NEWS	22	SEP 24	EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS	23	OCT 02	CA/CAplus enhanced with pre-1907 records from Chemisches Zentralblatt
NEWS	24	OCT 19	BEILSTEIN updated with new compounds
NEWS	25	NOV 15	Derwent Indian patent publication number format enhanced
NEWS	26	NOV 19	WPIX enhanced with XML display format
NEWS	27	NOV 30	ICSD reloaded with enhancements

NEWS EXPRESS   19 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2,
               CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
               AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.

NEWS HOURS   STN Operating Hours Plus Help Desk Availability
NEWS LOGIN   Welcome Banner and News Items
NEWS IPC8   For general information regarding STN implementation of IPC 8

                    Searched by Jason M. Nolan, Ph.D.   Page 1

Enter NEWS followed by the item number or name to see news on that
specific topic.

   All use of STN is subject to the provisions of the STN Customer
   agreement. Please note that this agreement limits use to scientific
   research. Use for software development or design or implementation
   of commercial gateways or other similar uses is prohibited and may
   result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 14:10:33 ON 30 NOV 2007

=> fil reg
COST IN U.S. DOLLARS   SINCE FILE   TOTAL
                                                ENTRY   SESSION
FULL ESTIMATED COST   0.21   0.21

FILE 'REGISTRY' ENTERED AT 14:10:41 ON 30 NOV 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 29 NOV 2007   HIGHEST RN 956314-53-7
DICTIONARY FILE UPDATES: 29 NOV 2007   HIGHEST RN 956314-53-7

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH June 29, 2007

   Please note that search-term pricing does apply when
   conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\Stnexp\Queries\10509795\Nov1.str

```
chain nodes :
10  11  12  13  14  15  16  17
ring nodes :
1  2  3  4  5  6  7  8  9
chain bonds :
1-11  4-10  5-12  7-13  13-14  14-15  15-16  16-17
ring bonds :
1-2  1-6  2-3  2-7  3-4  3-9  4-5  5-6  7-8  8-9
exact/norm bonds :
3-9  5-12  7-8  8-9  13-14  14-15  16-17
exact bonds :
1-11  2-7  4-10  7-13  15-16
normalized bonds :
1-2  1-6  2-3  3-4  4-5  5-6
isolated ring systems :
containing 1 :


Match level :
1:Atom  2:Atom  3:Atom  4:Atom  5:Atom  6:Atom  7:Atom  8:Atom  9:Atom  10:CLASS
11:CLASS  12:CLASS  13:CLASS  14:CLASS  15:CLASS  16:CLASS  17:Atom
Generic attributes :
17:
Saturation              : Unsaturated




L1      STRUCTURE UPLOADED

=>
Uploading C:\Program Files\Stnexp\Queries\10509795\Nov2.str
```

chain nodes :
10 11 12 13 14 15
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
1-11 4-10 5-12 7-13 13-14 14-15
ring bonds :
1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9
exact/norm bonds :
3-9 5-12 7-8 8-9 13-14 14-15
exact bonds :
1-11 2-7 4-10 7-13
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom
Generic attributes :
15:
Saturation   : Unsaturated

L2   STRUCTURE UPLOADED

=> d L1
L1 HAS NO ANSWERS
L1   STR

Structure attributes must be viewed using STN Express query preparation.

```
=> d L2
L2 HAS NO ANSWERS
L2                STR
```

Structure attributes must be viewed using STN Express query preparation.


```
=> s l1
SAMPLE SEARCH INITIATED 14:11:21 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -      544 TO ITERATE

100.0% PROCESSED      544 ITERATIONS                    50 ANSWERS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:   ONLINE  **COMPLETE**
                         BATCH   **COMPLETE**
PROJECTED ITERATIONS:         9481 TO    12279
PROJECTED ANSWERS:            1248 TO     2392

L3            50 SEA SSS SAM L1

=> d scan

L3   50 ANSWERS   REGISTRY  COPYRIGHT 2007 ACS on STN
IN   Benzamide, N-[(1S,2R)-2-hydroxy-1-methyl-2-phenylethyl]-2-[[3-[(1E)-2-(2-
     pyridinyl)ethenyl]-1H-indazol-6-yl]thio]-
MF   C30 H26 N4 O2 S
```

Absolute stereochemistry.
Double bond geometry as shown.

PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

```
=>
Uploading C:\Program Files\Stnexp\Queries\10509795\Nov1a.str
```

Searched by Jason M. Nolan, Ph.D.

chain nodes :
10 11 12 13 14 15 16 17 23 24
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
1-11 4-10 5-12 7-13 13-14 14-15 15-16 16-17 23-24
ring bonds :
1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9
exact/norm bonds :
3-9 5-12 7-8 8-9 13-14 14-15 16-17 23-24
exact bonds :
1-11 2-7 4-10 7-13 15-16
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :
containing 1 :

G1:X,Ak,OH,CN,NH,NH2,NO2,[*1]

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS

11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 23:CLASS
24:CLASS
Generic attributes :
17:
Saturation   : Unsaturated

L4   STRUCTURE UPLOADED

=> d
L4 HAS NO ANSWERS
L4   STR

G1 X,Ak,OH,CN,NH,NH2,NO2,[@1]

Structure attributes must be viewed using STN Express query preparation.

=> s l4
SAMPLE SEARCH INITIATED 14:17:44 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -   544 TO ITERATE

100.0% PROCESSED   544 ITERATIONS   49 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
                         BATCH   **COMPLETE**

```
PROJECTED ITERATIONS:        9481 TO    12279
PROJECTED ANSWERS:            559 TO     1399
```

L5   49 SEA SSS SAM L4

=> d scan

L5   49 ANSWERS   REGISTRY   COPYRIGHT 2007 ACS on STN
IN   Benzeneacetamide, α-methoxy-N-[3-[[3-[(1E)-2-phenylethenyl]-1H-
      indazol-6-yl]amino]phenyl]-, (αS)-
MF   C30 H26 N4 O2

Absolute stereochemistry.
Double bond geometry as shown.

**PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT**

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> s 14 full
FULL SEARCH INITIATED 14:17:56 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -   10113 TO ITERATE

100.0% PROCESSED   10113 ITERATIONS   693 ANSWERS
SEARCH TIME: 00.00.01

L6   693 SEA SSS FUL L4

=>
Uploading C:\Program Files\Stnexp\Queries\10509795\Nov1b.str

chain nodes :
10   11   12   13   14   15   16   17   23   24
ring nodes :
1   2   3   4   5   6   7   8   9
chain bonds :
1-11   4-10   5-12   7-13   13-14   14-15   15-16   16-17   23-24
ring bonds :
1-2   1-6   2-3   2-7   3-4   3-9   4-5   5-6   7-8   8-9
exact/norm bonds :
3-9   5-12   7-8   8-9   13-14   14-15   16-17   23-24
exact bonds :
1-11   2-7   4-10   7-13   15-16
normalized bonds :
1-2   1-6   2-3   3-4   4-5   5-6
isolated ring systems :
containing 1 :

G1:X,Ak,OH,CN,NH,NH2,NO2,N,[*1]

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:CLASS 16:CLASS 17:Atom 23:CLASS
24:CLASS
Generic attributes :
17:
Saturation   : Unsaturated

L7   STRUCTURE UPLOADED

=> d
L7 HAS NO ANSWERS
L7   STR

G1 X,Ak,OH,CN,NH,NH2,NO2,N,[@1]

Structure attributes must be viewed using STN Express query preparation.

=> s l7 full
FULL SEARCH INITIATED 14:22:18 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -   10113 TO ITERATE

100.0% PROCESSED   10113 ITERATIONS   707 ANSWERS

SEARCH TIME: 00.00.01

L8   707 SEA SSS FUL L7

=>
Uploading C:\Program Files\Stnexp\Queries\10509795\Nov2a.str

chain nodes :
10 11 12 13 14 15 22 23
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
1-11 4-10 5-12 7-13 13-14 14-15 22-23
ring bonds :
1-2 1-6 2-3 2-7 3-4 3-9 4-5 5-6 7-8 8-9
exact/norm bonds :
3-9 5-12 7-8 8-9 13-14 14-15 22-23
exact bonds :
1-11 2-7 4-10 7-13
normalized bonds :
1-2 1-6 2-3 3-4 4-5 5-6
isolated ring systems :

containing 1 :

G1:N,OH,CN,NH,NH2,NO2,X,Ak,[*1]

Match level :
1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:Atom 8:Atom 9:Atom 10:CLASS
11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 22:CLASS 23:CLASS
Generic attributes :
15:
Saturation   : Unsaturated

L9   STRUCTURE UPLOADED

=> d
L9 HAS NO ANSWERS
L9   STR

G1 N,OH,CN,NH,NH2,NO2,X,Ak,[@1]

Structure attributes must be viewed using STN Express query preparation.

=> s l9 full
FULL SEARCH INITIATED 14:24:57 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -   145078 TO ITERATE

100.0% PROCESSED   145078 ITERATIONS   1093 ANSWERS
SEARCH TIME: 00.00.02

L10   1093 SEA SSS FUL L9

```
=> d his

     (FILE 'HOME' ENTERED AT 14:10:33 ON 30 NOV 2007)

     FILE 'REGISTRY' ENTERED AT 14:10:41 ON 30 NOV 2007
L1              STRUCTURE UPLOADED
L2              STRUCTURE UPLOADED
L3         50 S L1
L4              STRUCTURE UPLOADED
L5         49 S L4
L6        693 S L4 FULL
L7              STRUCTURE UPLOADED
L8        707 S L7 FULL
L9              STRUCTURE UPLOADED
L10      1093 S L9 FULL

=> s l10 or l8 or l6
L11      1800 L10 OR L8 OR L6

=> fil caplus
COST IN U.S. DOLLARS                          SINCE FILE      TOTAL
                                                    ENTRY    SESSION
FULL ESTIMATED COST                               526.20     526.41

FILE 'CAPLUS' ENTERED AT 14:25:42 ON 30 NOV 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.

FILE COVERS 1907 - 30 Nov 2007   VOL 147 ISS 24
FILE LAST UPDATED: 29 Nov 2007   (20071129/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply.
They are available for your review at:

http://www.cas.org/infopolicy.html

=> s l11
L12       104 L11
```